


Corrugated Flexible Metal Tube (SS304 / 316)



- ◆ Hot & cold water tube
- ◆ House heating construction
- ◆ Connect sanitary ware



Corrugated Stainless Steel Flexible Tube (By the Roll)

Corrugated stainless steel tube is a flexible, stainless steel grade 304/316 pipe used to supply natural gas and water in residential, commercial and industrial construction. It's coated with a yellow, black or white PE/PVC plastic coating. It's usually inside interior wall cavities, alongside floor joists in your basement, and on top of ceiling joists in attic spaces.

Benefits :

Why we use corrugated stainless steel flexible tube?

1. Prevent leakage from making by far fewer connections during installation.
2. It can be bended to any angle by hand easily.
3. It's flexibility and snaked through walls and around obstacles.
4. Saves installation time.
5. NO need thread or welding.
6. Annealed heat treatment pipe provide better corrosion resistance.
7. Easy transportation and carry to any place, due to lightweight and coil.
8. NO need elbow around obstacles.
9. No need to connect pipes every Six meter long.
10. Coordinating brass fitting for you to connect pipes easily.

Application :

1. Cold and Hot water pipe.
2. Gas pipe.
3. Connect sanitary ware, such as, toilet and Wash basin.
4. Under flooring heating
5. Heat exchanger for water heater and boiler.



Technical Characteristics of Corrugated Stainless Steel Flexible Tube

| Grade of material | Size | Thickness(mm) | Outer Diameter(mm) |
|---------------------------|------|---------------|--------------------|
| Stainless steel 304 / 316 | 12A | 0.25 | 16.1 |
| Stainless steel 304 / 316 | 15A | 0.25 | 17.8 |
| Stainless steel 304 / 316 | 18A | 0.25 | 20.0 |
| Stainless steel 304 / 316 | 20A | 0.25 | 25.6 |
| Stainless steel 304 / 316 | 25A | 0.25 | 31.8 |
| Stainless steel 304 / 316 | 32A | 0.25 | 37.5 |
| Tolerance of ID / OD | | | +/- 0.3mm |

Heat treatment : annealed or un-annealed (Optional)

Color of coating: Yellow / White/ Black (Optional)

Length : 20~50 m (or Customized)

Application: Water tube, Gas tube, floor heating tube

Gas extensible flexible metal hose can be coated by Yellow, White or Black PE.





Different types of brass fitting.

Quick coupling fittings: 1/2" & 3/4" & 1" Internal (external) thread

Nut: 1/2" & 3/4" Internal thread





YOUR HOME TECH., LTD

2-39, Ximlun Road, Dounan, Yunlin 630 Taiwan

TEL: +886-5-5961266

www.yuhotw.com

yuho.tw@msa.hinet.net

yuho@yuhotw.com